

Datasheet for ABIN5007838

anti-NPTX2 antibody (AA 165-265) (AbBy Fluor® 750)



Overview		
Quantity:	100 μL	
Target:	NPTX2	
Binding Specificity:	AA 165-265	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This NPTX2 antibody is conjugated to AbBy Fluor® 750	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from human NPTX2	
Isotype:	IgG	
Cross-Reactivity:	Mouse	
Predicted Reactivity:	Human,Rat,Dog,Cow,Sheep	
Purification:	Purified by Protein A.	
Target Details		
Target:	NPTX2	
Alternative Name:	NPTX2 (NPTX2 Products)	

Target Details

Synonyms: apexin, NARP, Neuronal pentraxin 2, Neuronal pentraxin II, Neuronal pentraxin-2, NP	
2, NP-II, NP2, NPII, NPTX2, NPTX2_HUMAN.	
Background: Long pentraxins are a family of highly conserved proteins that are expressed in the	
brain and central nervous system, and form multimeric complexes. Neuronal pentraxin 1 (NP1),	
NP2, and neuronal pentraxin receptor (NPR) are members of the long pentraxins that represent	
a neuronal uptake pathway that may function during synapse formation and remodeling. The	
NP1 gene is located on chromosome 17q25.3 and the protein product mediates the uptake of	
synaptic material, including the presynaptic snake venom toxin, taipoxin (3). NP2, whose	
function is unknown, is located on chromosome 7q22.1 and like NP1 contains several potential	
N-linked glycosylation sites. NPR is expressed on the cell membrane and can form	
heteropentamers with NP1 and NP2 that can be released from the cell membrane by	
proteolysis.	
4885	
P47972	
IF(IHC-P) 1:50-200	
IF(IHC-F) 1:50-200	
IF(ICC) 1:50-200	
For Research Use only	
Liquid	
1 μg/μL	
Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
50 % Glycerol.	
ProClin	
This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
handled by trained staff only.	
-20 °C	
Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	

1	1	l:
-	ココロロ	urnen
1	Hand	III IU

Expiry Date:

12 months