

[Go to Product page](#)

Datasheet for ABIN5008415

**anti-PCDH11X antibody (AA 601-700) (Alexa Fluor 680)**

## Overview

Quantity:	100 µL
Target:	PCDH11X (PCDH11)
Binding Specificity:	AA 601-700
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PCDH11X antibody is conjugated to Alexa Fluor 680
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

## Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human PCDH11X
Isotype:	IgG
Predicted Reactivity:	Human, Mouse, Rat, Sheep, Pig, Horse, Rabbit
Purification:	Purified by Protein A.

## Target Details

Target:	PCDH11X (PCDH11)
Alternative Name:	PCDH11X ( <a href="#">PCDH11 Products</a> )
Background:	Synonyms: PCDH11, PCDH22, PCDHX, PCDHY, Protocadherin 11, Protocadherin 11 X linked,

## Target Details

Protocadherin 11 Y linked, Protocadherin 22, Protocadherin on the X chromosome, Protocadherin on the Y chromosome, Protocadherin PC, Protocadherin prostate cancer, PC11X\_HUMAN.

Background: This gene belongs to the protocadherin gene family, a subfamily of the cadherin superfamily. The encoded protein consists of an extracellular domain containing 7 cadherin repeats, a transmembrane domain and a cytoplasmic tail that differs from those of the classical cadherins. The gene is located in a major X/Y block of homology and its Y homolog, despite divergence leading to coding region changes, is the most closely related cadherin family member. The protein is thought to play a fundamental role in cell-cell recognition essential for the segmental development and function of the central nervous system. Transcripts arising from alternative splicing encode isoforms with variable cytoplasmic domains. [provided by RefSeq, Jul 2008].

## Application Details

Application Notes: IF(IHC-P) 1:50-200  
IF(IHC-F) 1:50-200  
IF(ICC) 1:50-200

Restrictions: For Research Use only

## Handling

Format: Liquid

Concentration: 1 µg/µL

Buffer: Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Storage: -20 °C

Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Expiry Date: 12 months