antibodies .- online.com





anti-PCDHA12 antibody (AA 151-250) (Alexa Fluor 680)



| O | : | |
|---|-------|--|
| | rview | |
| | | |

| Quantity: | 100 μL |
|----------------------|---|
| Target: | PCDHA12 |
| Binding Specificity: | AA 151-250 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This PCDHA12 antibody is conjugated to Alexa Fluor 680 |
| Application: | Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human PCDHA12 | |
|-----------------------|---|--|
| Isotype: | IgG | |
| Predicted Reactivity: | Human | |
| Purification: | Purified by Protein A. | |

Target Details

| Target: | PCDHA12 |
|-------------------|---|
| Alternative Name: | PCDHA12 (PCDHA12 Products) |
| Background: | Synonyms: PCDH alpha 12, PCDH alpha12, PCDHA12, PCDHA 12, PCDHA-12, Protocadherin |

| alpha 12 | PCDAC | _HUMAN. |
|----------|-------|---------|
|----------|-------|---------|

Background: The PCDHA12 gene is a member of the protocadherin alpha gene cluster, one of three related gene clusters tandemly linked on chromosome five, which demonstrate an unusual genomic organization similar to that of B-cell and T-cell receptor gene clusters. These neural cadherin-like cell adhesion proteins are integral plasma membrane proteins which may play a role in the establishment and function of specific cell-cell connections in the brain. Alternative splicing has been observed and additional variants have been suggested but their full-length nature has yet to be determined.

Gene ID:

56137

Application Details

| Application Notes: | IF(IHC-P) 1:50-200 |
|--------------------|--------------------|
| | IF(IHC-F) 1:50-200 |

IF(ICC) 1:50-200

Restrictions:

For Research Use only

Handling

| Format: | Liquid |
|--------------------|--|
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
| Expiry Date: | 12 months |