antibodies -online.com





anti-SPDEF/PSE antibody (AA 251-335) (AbBy Fluor® 750)



Go to Product page

\sim			
	N/P	r\/	i⊢₩

Quantity:	100 μL	
Target:	SPDEF/PSE (SPDEF)	
Binding Specificity:	AA 251-335	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This SPDEF/PSE antibody is conjugated to AbBy Fluor® 750	
Application:	Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human PDEF
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Dog,Cow,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	SPDEF/PSE (SPDEF)
Alternative Name:	PDEF/SPDEF (SPDEF Products)

Storage Comment:

Expiry Date:

Target Details		
Background:	Synonyms: bA375E1.3, PDEF, Prostate derived Ets factor, PROSTATE EPITHELIUM SPECIC ETS	
	TRANSCRIPTION FACTOR, Prostate epithelium-specic Ets transcription factor, Prostate specic	
	Ets, Prostate-derived Ets factor, Prostate-specic Ets, PSE, RP11-375E1_A.3, SAM POINTED	
	DOMAIN CONTAINING ETS TRANSCRIPTION FACTOR, SAM pointed domain-containing Ets	
	transcription factor, Spdef, SPDEF_HUMAN.	
	Background: SPDEF, also known as PDEF is an ETS transcription factor expressed in the	
	prostate epithelial cells. It is thought to act as an androgen-independent transactivator of the	
	prostate-specific antigen (PSA) promoter and also as a transcriptional activator for the	
	SERPINB5 promoter. It is highly expressed in prostate carcinoma cells and is thought to be	
	involved in the regulation of the prostate gland and/or prostate cancer development. It is also	
	expressed in epithelial breast carcinoma.	
Gene ID:	25803	
Application Details		
Application Notes:	FCM 1:20-100	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	

12 months

Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.