-online.com antibodies

Datasheet for ABIN5009448 anti-RAB17 antibody (AA 101-200) (Alexa Fluor 680)



Overview

| Quantity: | 100 μL |
|----------------------|--|
| Target: | RAB17 |
| Binding Specificity: | AA 101-200 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This RAB17 antibody is conjugated to Alexa Fluor 680 |
| Application: | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human Rab17 |
|-----------------------|---|
| lsotype: | lgG |
| Cross-Reactivity: | Human |
| Predicted Reactivity: | Mouse,Rat,Dog |
| Purification: | Purified by Protein A. |
| Target Details | |
| Target: | RAB17 |
| Alternative Name: | Rab17 (RAB17 Products) |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN5009448 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

Target Details

Background:

Synonyms: Rab 17, Rab17, RAB17 member RAS oncogene family, RAB17_HUMAN, Ras related protein Rab 17, Ras related protein Rab17, Ras-related protein Rab-17, FLJ12538, OTTHUMP00000164417, OTTHUMP00000202805. Background: Rab17 belongs to the Rab family of small Ras-like GTPases. It is specifically expressed in epithelial cells and is upregulated during cell polarization. Immunofluorescence staining studies indicate that Rab17 is associated with the perinuclear recycling endosome in nonpolarized epithelial cells and with the apical recycling endosome in polarized epithelial cells. The function of Rab17 remains unclear. Reports of Rab17 colocalization with internalized IgA in the apical endosome suggest that it may regulate receptor-mediated transcytosis. Rab17 has also been shown to regulate melanocytic filopodia formation and melanosome trafficking. siRNA knockdown of Rab17 in melanoma cells induces melanosome accumulation in the cell periphery.

Application Details

| Restrictions: | For Research Use only |
|--------------------|-----------------------|
| | IF(ICC) 1:50-200 |
| | IF(IHC-F) 1:50-200 |
| Application Notes: | IF(IHC-P) 1:50-200 |

Handling

| Format: | Liquid |
|--------------------|--|
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
| Expiry Date: | 12 months |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/2 | Product datasheet for ABIN5009448 | 03/07/2024 | Copyright antibodies-online. All rights reserved.