antibodies -online.com





anti-RENBP antibody (AA 101-200) (Alexa Fluor 750)



Go to Product page

\sim			
	N/P	r\/	i⊢₩

Quantity:	100 μL
Target:	RENBP
Binding Specificity:	AA 101-200
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RENBP antibody is conjugated to Alexa Fluor 750
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human RENBP
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Predicted Reactivity:	Rat,Cow,Sheep,Horse
Purification:	Purified by Protein A.

Target Details

Target:	RENBP
Alternative Name:	RENBP (RENBP Products)

Target Details

Background:	Synonyms: AGE, EC 5.1.3.8, GlcNAc 2 epimerase, GlcNAc 2-epimerase, N acetyl D glucosamine	
	2 epimerase, N-acetyl-D-glucosamine 2-epimerase, N-acylglucosamine 2-epimerase, RBP,	
	RENBP, RENBP_HUMAN, Renin binding protein, Renin-binding protein, RNBP.	
	Background: RENBP is a 427 amino acid protein that is a proteinaceous renin inhibitor. In	
	inhibiting renin, RENBP forms a complex with it, a high molecular weight renin. RENBP contains	
	a leucine zipper domain, which is essential for its dimerization with renin. RENBP can catalyze	
	the interconversion of N-acetylglucosamine to N-acetylmannosamine, indicating that it is a	
	GlcNAc 2-epimerase. Sequences of porcine, human and rat renin-binding proteins are highly	
	homologous. The RENBP gene is conserved in dog, mouse, rat and zebrafish, and maps to	
	human chromosome Xq28 between DXS52 and G6PD. Rat Renbp is located on chromosome X	
	at Xq37 close to marker DXWox3 and falls outside the BP QTL regions on chromosome X.	
Gene ID:	5973	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	