

## Datasheet for ABIN5009974

# anti-RNF31 antibody (AbBy Fluor® 750)



#### Overview

Quantity:	100 μL
Target:	RNF31
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RNF31 antibody is conjugated to AbBy Fluor® 750
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human RNF31
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.

# Target Details

Target:	RNF31
Alternative Name:	RNF31 (RNF31 Products)
Background:	Synonyms: HOIP, ZIBRA, E3 ubiquitin-protein ligase RNF31, HOIL-1-interacting protein, RING
	finger protein 31, Zinc in-between-RING-finger ubiquitin-associated domain protein, RNF31
	Background: E3 ubiquitin-protein ligase component of the LUBAC complex which conjugates
	linear ('Met-1'-linked) polyubiquitin chains to substrates and plays a key role in NF-kappa-B

activation and regulation of inflammation. LUBAC conjugates linear polyubiquitin to IKBKG and RIPK1 and is involved in activation of the canonical NF-kappa-B and the JNK signaling pathways. Linear ubiquitination mediated by the LUBAC complex interferes with TNF-induced cell death and thereby prevents inflammation. LUBAC is proposed to be recruited to the TNF-R1 signaling complex (TNF-RSC) following polyubiquitination of TNF-RSC components by BIRC2 and/or BIRC3 and to conjugate linear polyubiquitin to IKBKG and possibly other components contributing to the stability of the complex. Together with FAM105B/otulin, the LUBAC complex regulates the canonical Wnt signaling during angiogenesis. Binds polyubiquitin of different linkage types.

Gene ID:

55072

UniProt:

Q96EP0

## **Application Details**

Application Notes:	IF(IHC-P) 1:50-200
Application Notes.	11 (11 10 1 ) 1.00 200

Restrictions: For Research Use only

## Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months