antibodies -online.com





anti-SEMA6D antibody (AA 801-900) (Alexa Fluor 750)



Go to Product page

()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Quantity:	100 μL
Target:	SEMA6D
Binding Specificity:	AA 801-900
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SEMA6D antibody is conjugated to Alexa Fluor 750
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human SEMA6D
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Dog,Cow,Pig,Horse
Purification:	Purified by Protein A.

Target Details

Target:	SEMA6D
Alternative Name:	SEMA6D (SEMA6D Products)

Target Details

De alcemano: di	Oursen was OFMCD HIIIMAN KIAA4470 OONEVA Ooroo da		
Background:	Synonyms: SEM6D_HUMAN, KIAA1479, Q8NFY4, Sema domain, transmembrane domain TM,		
	and cytoplasmic domain, semaphorin 6D, Semaphorin 6D.		
	Background: Semaphorins are a large family, including both secreted and membrane		
	associated proteins, many of which have been implicated as inhibitors or chemorepellents in		
	axon pathfinding, fasciculation and branching, and target selection. All semaphorins possess a		
	semaphorin (Sema) domain and a PSI domain (found in plexins, semaphorins and integrins) in		
	the N-terminal extracellular portion. Additional sequence motifs C-terminal to the semaphorin		
	domain allow classification into distinct subfamilies. Results demonstrate that transmembrane		
	semaphorins, like the secreted ones, can act as repulsive axon guidance cues. This gene		
	encodes a class 6 vertebrate transmembrane semaphorin that demonstrates alternative		
	splicing. Several transcript variants have been identified and expression of the distinct encoded		
	isoforms is thought to be regulated in a tissue- and development-dependent manner. [provided		
	by RefSeq, Nov 2010]		
Gene ID:	80031		
Pathways:	Smooth Muscle Cell Migration		
Application Details			
Application Notes:	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		
	Store at 20 0.7 inquot into martiple vialo to avoid repeated neeze than oyoleo.		

		1.	
\vdash	land	lın	
	ıaııu	1111	U

Expiry Date:

12 months