# antibodies -online.com





# anti-SERINC3 antibody (AA 51-150) (Alexa Fluor 680)



Go to Product page

$\sim$				
	$ V \cap$	r\/I	19	٨

Quantity:	100 μL
Target:	SERINC3
Binding Specificity:	AA 51-150
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SERINC3 antibody is conjugated to Alexa Fluor 680
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human SERINC3
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.

## **Target Details**

Target:	SERINC3
Alternative Name:	SERINC3 (SERINC3 Products)

## **Target Details**

Background:	Synonyms: TMS 1, TMS-1, AIGP1, DF33, SBBI99, serine incorporator 3, TDE, TDE1, Tumor	
	dferentially expressed protein 1, SERC3_HUMAN.	
	Background: TDE1, tumor differentially expressed protein 1, is a multi-pass membrane protein	
	also known as serine incorporator 3. Also found on the membranes of the Golgi apparatus	
	within cells, TDE1 is highly expressed in neuronal populations but is also found in thymus,	
	kidney, liver and testis. Expression levels of TDE1 in tumors can be as much as tenfold the	
	amount found in normal tissue of the same type. This increased expression implicates TDE1 as	
	being involved in the cellular transformation from normal to malignant tissue. It is believed	
	TDE1 contributes to oncogenesis by partially protecting cells from serum starvation and	
	etoposide-induced apoptosis. The mechanism through which TDE1 protects cells is poorly	
	understood, but may involve aberrant methylation of TDE1 complexes.	
Gene ID:	10955	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	