

Datasheet for ABIN5010423

anti-Albumin antibody (AbBy Fluor® 680)



[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	Albumin (ALB)
Reactivity:	Human, Mouse, Rat, Goat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Albumin antibody is conjugated to AbBy Fluor® 680
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	human Serum albumin purified
Isotype:	IgG
Cross-Reactivity:	Goat, Human, Mouse, Rat
Predicted Reactivity:	Dog
Purification:	Purified by Protein A.

Target Details

Target:	Albumin (ALB)
Alternative Name:	Serum albumin (ALB Products)
Background:	Synonyms: ALB, ALBU_HUMAN, Albumin 32 AA, Albumin AA 34, Analbuminemia, Bisalbuminemia, Cell growth inhibiting protein 42, DKFZp779N1935, Dysalbuminemic

Target Details

hyperthyroxinemia, Growth inhibiting protein 20, HSA, Hyperthyroxinemia dysalbuminemic, PRO0883, PRO0903, PRO1341, PRO2044, PRO2619, Serum albumin.

Background: Albumin is a soluble, monomeric protein which comprises about one-half of the blood serum protein. Albumin functions primarily as a carrier protein for steroids, fatty acids, and thyroid hormones and plays a role in stabilizing extracellular fluid volume. Albumin is a globular unglycosylated serum protein of molecular weight 65,000. Albumin is synthesized in the liver as preproalbumin which has an N-terminal peptide that is removed before the nascent protein is released from the rough endoplasmic reticulum. The product, proalbumin, is in turn cleaved in the Golgi vesicles to produce the secreted albumin. [provided by RefSeq, Jul 2008].

Gene ID: 173

UniProt: [P02768](#)

Pathways: [Lipid Metabolism](#)

Application Details

Application Notes: IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 1 µg/µL

Buffer: Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Storage: -20 °C

Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Expiry Date: 12 months