# antibodies -online.com







# anti-SIX3 antibody (AA 151-250) (AbBy Fluor® 680)



$\sim$	
( )\/△	rview
$\cup$	1 410 44

Quantity:	100 μL
Target:	SIX3
Binding Specificity:	AA 151-250
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SIX3 antibody is conjugated to AbBy Fluor® 680
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

## **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human Six3
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Sheep,Pig,Rabbit
Purification:	Purified by Protein A.

# **Target Details**

Target:	SIX3
Alternative Name:	Six3 (SIX3 Products)
Background:	Synonyms: Homeobox protein SIX3, HPE2, Sine oculis homeobox homolog 3, SIX homeobox 3,

Six3, SIX3\_HUMAN.

Background: The Six proteins (sine oculis) are a family of homeodomain transcription factors that share a conserved DNA binding domain. Six3 is required for the specification and proliferation of the eye field in vertebrates and may be involved in some developmental disorders of the brain. Expression of Six3 is detected in human embryos as early as five to seven weeks of gestation, and is maintained in the eye throughout the entire period of fetal development. At 20 weeks of gestation, expression of Six3 in the human retina has been observed in ganglion cells and in cells of the inner nuclear layer. Six3 maps to human chromosome 2p16-p21, between genetic markers D2S119 and D2S288. The map position of human Six3 overlaps the positions of two dominant disorders (holoprosencephaly type 2 and Malattia leventinese) with ocular phenotypes that have been assigned to this chromosomal region.

Pathways:

Protein targeting to Nucleus

#### **Application Details**

Application Notes: IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions: For Research Use only

## Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months