antibodies -online.com





anti-STIL antibody (Alexa Fluor 680)



Go to Product page

\sim				
	11/6	٦r١	/10	۱۸.

Overview	
Quantity:	100 μL
Target:	STIL
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This STIL antibody is conjugated to Alexa Fluor 680
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Duadout Dataila	
Product Details	
Immunogen:	KLH conjugated synthetic pentide derived from human STII

Immunogen:	KLH conjugated synthetic peptide derived from human STIL
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.

Target Details

rarget Details	
Target:	STIL
Alternative Name:	STIL (STIL Products)
Background:	Synonyms: MCPH7, SCL interrupting locus protein, SCL-interrupting locus protein, SCL/TAL1 interrupting locus, SIL, STIL, STIL_HUMAN, TAL 1 interrupting locus protein, TAL-1-interrupting
	locus protein. Background: TAL1 disruption at 1p32, a common rearrangement in the T-cell acute
	Background. TALT disruption at Tp32, a common rearrangement in the T-cell acute

Target Details

lymphoblastic leukemia, usually results in the formation of a SCL interrupting locus (SIL)-TAL1 fusion product. SIL is an immediate early gene whose expression is associated with cell proliferation. The Sil protein exhibits ubiquitous expression in hematopoietic cell lines and tissues. However, Sil protein levels remain tightly regulated during the cell cycle, achieving peak levels in mitosis and diminishing on transition to G1 phase. Overexpression of Sil in primary adenocarcinomas predicts metastatic spread, especially in lung tumors with increased mitotic activity.

Gene ID:

6491

Pathways:

Tube Formation

Application Details

Application Notes: IF(IHC-P) 1:50-200

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months