



[Go to Product page](#)

Datasheet for ABIN5011134  
**anti-STOML2 antibody (AbBy Fluor® 680)**

### Overview

|              |   |
|--------------|---|
| Quantity:    | 100 µL  |
| Target:      | STOML2  |
| Reactivity:  | Human, Mouse, Rat   |
| Host:        | Rabbit  |
| Clonality:   | Polyclonal  |
| Conjugate:   | This STOML2 antibody is conjugated to AbBy Fluor® 680                           |
| Application: | Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

### Product Details

|                   |   |
|-------------------|---|
| Immunogen:        | KLH conjugated synthetic peptide derived from human STOML2/SLP2 |
| Isotype:          | IgG   |
| Cross-Reactivity: | Human, Mouse, Rat   |
| Purification:     | Purified by Protein A.  |

### Target Details

|                   |   |
|-------------------|---|
| Target:           | STOML2  |
| Alternative Name: | STOML2 ( <a href="#">STOML2 Products</a> )  |
| Background:       | Synonyms: EPB72 like protein 2, HSPC108, OTTHUMP00000021320, SLP 2, SLP2, SLP-2, Stomatin EPB72 like 2, Stomatin like 2, Stomatin like protein 2, STOML2, STML2_HUMAN.<br>Background: STOML2 is a 356 amino acid member of the mec-2 family of proteins. Expressed ubiquitously at low levels, STOML2 is highly expressed in heart, liver and pancreas. STOML2 is |

## Target Details

---

localized to the cytoplasm with some distribution on the membrane. STOML2 was first identified as an overexpressed protein in human endometrial adenocarcinoma. Changes in cell growth in samples with different levels of STOML2 indicate that STOML2 could play a role in endometrial tumorigenesis. STOML2 is also thought to play a role in regulating ion channel conductances or the organization of sphingolipid and cholesterol-rich lipid rafts.

Gene ID: 30968

Pathways: [SARS-CoV-2 Protein Interactome](#), [The Global Phosphorylation Landscape of SARS-CoV-2 Infection](#)

## Application Details

---

Application Notes: IF(IHC-P) 1:50-200

Restrictions: For Research Use only

## Handling

---

Format: Liquid

Concentration: 1 µg/µL

Buffer: Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Storage: -20 °C

Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Expiry Date: 12 months