

Datasheet for ABIN5011156

## **anti-SUFUH antibody (AA 433-484) (AbBy Fluor® 680)**



[Go to Product page](#)

### Overview

|                      |                                                                                                                                |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------|
| Quantity:            | 100 µL                                                                                                                         |
| Target:              | SUFUH                                                                                                                          |
| Binding Specificity: | AA 433-484                                                                                                                     |
| Reactivity:          | Human, Mouse, Rat                                                                                                              |
| Host:                | Rabbit                                                                                                                         |
| Clonality:           | Polyclonal                                                                                                                     |
| Conjugate:           | This SUFUH antibody is conjugated to AbBy Fluor® 680                                                                           |
| Application:         | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

### Product Details

|                       |                                                          |
|-----------------------|----------------------------------------------------------|
| Immunogen:            | KLH conjugated synthetic peptide derived from human SUFU |
| Isotype:              | IgG                                                      |
| Cross-Reactivity:     | Human, Mouse, Rat                                        |
| Predicted Reactivity: | Dog,Pig,Horse,Chicken                                    |
| Purification:         | Purified by Protein A.                                   |

### Target Details

|                   |                                                             |
|-------------------|-------------------------------------------------------------|
| Target:           | SUFUH                                                       |
| Alternative Name: | SUFU/Suppressor of Fused ( <a href="#">SUFUH Products</a> ) |

## Target Details

|             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Background: | <p>Synonyms: SUFUH, SUFUXL, PRO1280, Suppressor of fused homolog, SUFU, UNQ650/PRO1280</p> <p>Background: Negative regulator in the hedgehog signaling pathway. Down-regulates GLI1-mediated transactivation of target genes. Part of a corepressor complex that acts on DNA-bound GLI1. May also act by linking GLI1 to BTRC and thereby targeting GLI1 to degradation by the proteasome. Sequesters GLI1, GLI2 and GLI3 in the cytoplasm, this effect is overcome by binding of STK36 to both SUFU and a GLI protein. Negative regulator of beta-catenin signaling. Regulates the formation of either the repressor form (GLI3R) or the activator form (GLI3A) of the full length form of GLI3 (GLI3FL). GLI3FL is complexed with SUFU in the cytoplasm and is maintained in a neutral state. Without the Hh signal, the SUFU-GLI3 complex is recruited to cilia, leading to the efficient processing of GLI3FL into GLI3R. When Hh signaling is initiated, SUFU dissociates from GLI3FL and the latter translocates to the nucleus, where it is phosphorylated, destabilized, and converted to a transcriptional activator (GLI3A). Required for the proper formation of hair follicles and the control of epidermal differentiation (By similarity).</p> |
| Gene ID:    | 51684                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| UniProt:    | <a href="#">Q9UMX1</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Pathways:   | <a href="#">Hedgehog Signaling</a> , <a href="#">Tube Formation</a> , <a href="#">Maintenance of Protein Location</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

## Application Details

|                    |                                                                             |
|--------------------|-----------------------------------------------------------------------------|
| Application Notes: | <p>IF(IHC-P) 1:50-200</p> <p>IF(IHC-F) 1:50-200</p> <p>IF(ICC) 1:50-200</p> |
| Restrictions:      | For Research Use only                                                       |

## Handling

|                    |                                                                                                                    |
|--------------------|--------------------------------------------------------------------------------------------------------------------|
| Format:            | Liquid                                                                                                             |
| Concentration:     | 1 µg/µL                                                                                                            |
| Buffer:            | Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.        |
| Preservative:      | ProClin                                                                                                            |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |

Handling

---

|                  |                                                                                   |
|------------------|-----------------------------------------------------------------------------------|
| Storage:         | -20 °C                                                                            |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
| Expiry Date:     | 12 months                                                                         |