antibodies .- online.com





anti-TCN2 antibody (Alexa Fluor 750)



()	ve	K\ /		A .
	\cup	1 V/	Щ.	V۷

Overview	
Quantity:	100 μL
Target:	TCN2
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TCN2 antibody is conjugated to Alexa Fluor 750
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human TCN2/Transcobalamin II

Immunogen:	KLH conjugated synthetic peptide derived from human TCN2/Transcobalamin II
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.

Target Details

Target:	TCN2
Alternative Name:	TCN2 (TCN2 Products)
Background:	Synonyms: Macrocytic anemia, TC, TC II, TC-2, TC2, TCII, TCN 2, TCO2_HUMAN,
	Transcobalamin 2, Transcobalamin II, Transcobalamin II, macrocytic anemia, Transcobalamin-
	2, Vitamin B12 binding protein 2.
	Background: Transcobalamin I (TCI) and Transcobalamin II (TCII) are secreted proteins

Target Details

belonging to the eukaryotic cobalamin transport proteins family and also to the vitamin B12binding protein family. The genes encoding these proteins map to chromosome 11q11-q12 and 22q12.2, respectively. Transcobalamin I is a constituent of secondary granules in neutrophils, while Transcobalamin II binds cobalamin and mediates its transport into cells. These plasma proteins are expressed in various tissues and secretions.

Gene ID:

6948

Application Details

Application Notes:	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid

Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.

Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.