antibodies.com

Datasheet for ABIN5011727 anti-TMEM74 antibody (Alexa Fluor 750)



Overview	
Quantity:	100 μL
Target:	TMEM74
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TMEM74 antibody is conjugated to Alexa Fluor 750
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human TMEM74
lsotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.
Target Details	
Target:	TMEM74
Alternative Name:	TMEM74 (TMEM74 Products)
Background:	Synonyms: TMEM 74, TMEM-74, NET36, HGNC, transmembrane protein 74, transmembrane protein-74, TMM74_HUMAN.

Background: TMEM74 is a 305 amino acid protein encoded by a gene mapping to human

chromosome 8. Made up of nearly 146 million bases, chromosome 8 encodes about 800

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN5011727 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

	genes. Translocation of portions of chromosome 8 with amplifications of the c-Myc gene are
	found in some leukemias and lymphomas, and typically associated with a poor prognosis.
	Portions of chromosome 8 have been linked to schizophrenia and bipolar disorder. Trisomy 8,
	also known as Warkany syndrome 2, most often results in early miscarriage but is occasionally
	seen in a mosaic form in surviving patients who suffer to a varying degree from a number of
	symptoms including retarded mental and motor development, and certain facial and
	developmental defects. WRN is a DNA helicase encoded by chromosome 8 and shown
	defective in those with the early aging disorder Werner syndrome. Chromosome 8 is also
	associated with Pfeiffer syndrome, congenital hypothyroidism and Waardenburg syndrome.
Gene ID:	157753
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 an 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months