# antibodies -online.com





# anti-TSKS antibody (AA 121-170) (Alexa Fluor 750)



Go to Product page

( )	11/0	K\ /	iew
	$\cup$	'I V/I	$I \cap VV$

Quantity:	100 μL
Target:	TSKS
Binding Specificity:	AA 121-170
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TSKS antibody is conjugated to Alexa Fluor 750
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

## **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human TSKS
Isotype:	IgG
Predicted Reactivity:	Human, Mouse, Rat, Dog, Cow, Sheep, Pig, Rabbit
Purification:	Purified by Protein A.

# **Target Details**

Target:	TSKS	
Alternative Name:	TSKS (TSKS Products)	
Background:	Synonyms: STK22 substrate 1, Stk22s1, Testis specic kinase substrate, Testis specic serine	

kinase substrate	TSKS	TSKS1	MGC134104	TSKS HUMAN
Miliade dabbliate	, , , , , , , , , , , , , , , , , , , ,	101101		1 01 (0_1 10 17) (1 4.

Background: TSKS is a 592 amino acid protein that is highly expressed in human testicular tissue. Low levels of TSKS are detectable in prostate, placenta, fetal liver, thymus, and mammary gland tissues. TSKS is found to be downregulated in cancerous testicular tissue from seminoma, teratocarcinoma, embryonal and Leydig cell tumors concurrently with high expression in neighboring premalignant carcinoma. TSKS protein contains an N-terminal signal peptide, but does not contain a transmembrane region. TSKS has many potential phosphorylation and glycosylation sites and is phosphorylated by soluble recombinant TSSK2 in vitro. It is thought that TSKS likely plays a physiological role in spermatogenesis or spermiogenesis.

Gene ID:	60385

Pathways: Toll-Like Receptors Cascades

## **Application Details**

Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	

Restrictions: For Research Use only

#### Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months