

Datasheet for ABIN5012268

anti-UROD antibody (AA 121-220) (AbBy Fluor® 750)



Go to Product page

Overview	
Quantity:	100 μL
Target:	UROD
Binding Specificity:	AA 121-220
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This UROD antibody is conjugated to AbBy Fluor® 750
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Product Details Immunogen:	KLH conjugated synthetic peptide derived from human UROD
	KLH conjugated synthetic peptide derived from human UROD
Immunogen:	
Immunogen: Isotype:	IgG
Immunogen: Isotype: Cross-Reactivity:	IgG Human
Immunogen: Isotype: Cross-Reactivity: Predicted Reactivity:	IgG Human Mouse,Rat,Dog,Horse
Immunogen: Isotype: Cross-Reactivity: Predicted Reactivity: Purification:	IgG Human Mouse,Rat,Dog,Horse

Target Details

Background:	Synonyms: PCT, UPD, URO D, Uroporphyrinogen decarboxylase, Uroporphyrinogen III
	decarboxylase.
	Background: UROD is the fifth enzyme of the heme biosynthetic pathway. This enzyme is
	responsible for catalyzing the conversion of uroporphyrinogen to coproporphyrinogen through
	the removal of four carboxymethyl side chains. Mutations and deficiency in this enzyme are
	known to cause familial porphyria cutanea tarda and hepatoerythropoetic porphyria. Porphyria
	cutanea tarda is an autosomal dominant disorder characterized by light-sensitive dermatitis
	and associated with the excretion of large amounts of uroporphyrin in urine.
	Hepatoerythropoetic porphyria is a form of porphyria cutanae tarda that may also be a
	manifestation of benign or malignant hepatic tumors.
Gene ID:	79842
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months