antibodies

Datasheet for ABIN5012389 anti-VGLL3 antibody (Alexa Fluor 680)



Overview	
Quantity:	100 µL
Target:	VGLL3
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This VGLL3 antibody is conjugated to Alexa Fluor 680
Application:	Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Western Blotting (WB)
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human VGLL3
lsotype:	lgG
Owner Densti it	
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Human, Mouse, Rat Purified by Protein A.
Purification:	
Purification: Target Details	Purified by Protein A.

regulate tissue-specific gene expression in muscle and placenta. The mechanism whereby TEF-

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN5012389 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

	1 confers tissue specificity depends largely on the interaction of TEF-1 with tissue-specific
	cofactors. Transcription cofactor VgI-3 (vestigial-like protein 3), also known as colon carcinoma
	related protein, is a 326 amino acid nuclear protein that may act as a specific coactivator for
	the mammalian transcription elongation factors. Both Vgl-1 and Vgl-3 are enriched in placenta,
	whereas Vgl-2 is expressed in differentiating somites and branchial arches during
	embryogenesis and is skeletal-muscle specific in adult tissues. There are two isoforms of Vgl-3
	that are produced as a result of alternative splicing events.
Gene ID:	389136

Application Details

Application Notes:	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Expiry Date:

12 months