antibodies -online.com





anti-MLXIPL antibody (AA 81-180) (Alexa Fluor 680)



Overview

| Quantity: | 100 μL |
|----------------------|---|
| Target: | MLXIPL |
| Binding Specificity: | AA 81-180 |
| Reactivity: | Rat |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This MLXIPL antibody is conjugated to Alexa Fluor 680 |
| Application: | Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human WBSCR14/ChREBP |
|-----------------------|--|
| Isotype: | IgG |
| Cross-Reactivity: | Rat |
| Predicted Reactivity: | Human,Mouse,Dog,Cow,Pig,Horse,Chicken |
| Purification: | Purified by Protein A. |

Target Details

| Target: | MLXIPL |
|-------------------|---------------------------|
| Alternative Name: | WBSCR14 (MLXIPL Products) |

Target Details

| Background: | Synonyms: ChREBP, bHLHd14, Carbohydrate responsive element binding protein, MIO, MLX |
|---------------------|--|
| | interacting protein like, Mlx interactor, MLXIPL, MONDOB, WBSCR 14, WBSCR14, Williams |
| | Beuren syndrome chromosome region 14, Williams Beuren syndrome chromosome region 14 |
| | protein, WS basic helix loop helix leucine zipper protein, WS bHLH, MLXPL_HUMAN. |
| | Background: ChREBP (Carbohydrate responsive element binding protein) is a transcription |
| | factor playing a critical role in the nutrient and hormonal regulation of genes encoding enzymes |
| | of glucose metabolism and lipogenesis pathways. It contains several domains including a |
| | nuclear localization signal (NLS) near the N-terminus, polyproline domains, a basic helix-loop- |
| | helix leucine zipper (b/HLH/Zip) and a leucine zipper like (zip-like) domain.ChREBP is |
| | ubiquitously detected in various tissues, with highest expression in liver, kidney and white and |
| | brown adipose tissue. Under basal conditions ChREBP is localized in the cytosol, translocating |
| | into the nucleus upon high glucose stimulation following its dephosphorylation of serine 196. |
| Gene ID: | 51085 |
| Pathways: | Carbohydrate Homeostasis, Regulation of Carbohydrate Metabolic Process |
| Application Details | |
| Application Notes: | IF(IHC-P) 1:50-200 |
| | IF(IHC-F) 1:50-200 |
| | IF(ICC) 1:50-200 |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and |
| | 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be |
| | handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
| | |

| | | 1. | |
|----------|-------|-------|---|
| \vdash | land | ling | |
| 1 1 | ıaııu | 11111 | ۰ |
| | | | |

Expiry Date:

12 months