

Datasheet for ABIN5013048
anti-NT5M antibody (AA 30-193)[Go to Product page](#)

2 Images

Overview

Quantity:	100 µL
Target:	NT5M
Binding Specificity:	AA 30-193
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NT5M antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

Product Details

Immunogen:	NT5M (Val30-His193)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against NT5M. It has been selected for its ability to recognize NT5M in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

Target Details

Target:	NT5M
Alternative Name:	5'-Nucleotidase, Mitochondrial (NT5M) (NT5M Products)
Background:	Alternative Names: dNT-2, dNT2, mdN, 5'(3')-deoxyribonucleotidase, mitochondrial

Application Details

Application Notes:

- Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.

Comment:

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Restrictions:

For Research Use only

Handling

Format:

Liquid


Concentration:

Lot specific

Buffer:


PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

Images



Immunohistochemistry

Image 1. sed in DAB staining on formalin fixed paraffin-embedded heart tissue



Western Blotting

Image 2. Figure. Western Blot; Sample: Recombinant protein.