

Datasheet for ABIN5013051
anti-NT5C antibody (AA 55-198)[Go to Product page](#)

2 Images

Overview

Quantity:	100 µL
Target:	NT5C
Binding Specificity:	AA 55-198
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NT5C antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

Product Details

Immunogen:	NT5C (Pro55-Ala198)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against NT5C. It has been selected for its ability to recognize NT5C in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

Target Details

Target:	NT5C
Abstract:	NT5C Products
Background:	Alternative Names: DNT, DNT1, P5N2, PN-I, PN-II, UMPH2, cdN,

Target Details

5'Nucleotidase,Deoxy(Pyrimidine)Cytosolic Type C, Uridine 5-Prime Monophosphate Hydrolase
2, 5'(3')-deoxyribonucleotidase, cytosolic


Application Details

Application Notes:	<ul style="list-style-type: none">Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

Handling


Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

Images



Western Blotting

Image 1. Figure. Western Blot; Sample: Recombinant protein.



Immunohistochemistry

Image 2. Used in DAB staining on formalin fixed paraffin-embedded pancreas tissue