antibodies.com

Datasheet for ABIN5013094 anti-ACD antibody (AA 147-342)

2 Images



Overview

Quantity:	100 μL
Target:	ACD
Binding Specificity:	AA 147-342
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ACD antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

Product Details

Immunogen:	ACD (Asn147-Glu342)
lsotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against ACD. It has been selected for its ability to recognize ACD in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

Target Details

Target:	ACD			
Abstract:	ACD Products			
Background: Alternative Names: TPP1, PIP1, PTOP, TINT1, TIN2 Interacting Protein 1, POT1 And TIN2				

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN5013094 | 09/10/2023 | Copyright antibodies-online. All rights reserved.


Target Details

	Organizing Protein					
Pathways:	Telomere Maintenance					
Application Details						
Application Notes:	 Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user. 					
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.					
Restrictions:	For Research Use only					
Handling						
Format:	Liquid					
Concentration:	Lot specific					
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.					

Images

kDa weste	ern Blot	Western	n Blo	otting				
70		Image	1.	Figure.	Western	Blot;	Sample:	Recombinant
44		protein.						
33 26 22 –	➡ ←22kDa							
18								
14								
10								

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN5013094 | 09/10/2023 | Copyright antibodies-online. All rights reserved.



Immunohistochemistry

Image 2. Used in DAB staining on fromalin fixed paraffin-

embedded Kidney tissue