antibodies - online.com







anti-AADAT antibody (AA 99-425)



Images



\sim			
	IV/E	۱//۱۲	$I \cap V$

Background:

Quantity:	100 μL	
Target:	AADAT	
Binding Specificity:	AA 99-425	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This AADAT antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)	
Product Details		
Immunogen:	AADAT (Thr99-Leu425)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against AADAT. It has been selected for its ability to recognize AADAT in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography	
Target Details		
Target:	AADAT	
Abstract:	AADAT Products	

Alternative Names: KATII, KAT2, Kynurenine Aminotransferase II, L Kynurenine/Alpha

Aminoadipate Aminotransferase, Kynurenine aminotransferase II

Application Details

Application Notes:

Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500
 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.

Comment:

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.


Restrictions:

For Research Use only

Handling


Format:	Liquid	
Concentration:	Lot specific	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	

Images




Western Blotting

Image 1. Western Blot; Sample: Mouse Liver lysate; Primary Ab: $1\mu g/ml$ Rabbit Anti-Mouse AADAT Antibody Second Ab: $0.2\mu g/mL$ HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)



Western Blotting

Image 2. Figure. Western Blot; Sample: Recombinant protein.



Immunohistochemistry

Image 3. Used in DAB staining on fromalin fixed paraffinembedded liver tissue