

Datasheet for ABIN5013113
anti-AASS antibody (AA 477-926)[Go to Product page](#)

3 Images

Overview

Quantity:	100 µL
Target:	AASS
Binding Specificity:	AA 477-926
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This AASS antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

Product Details

Immunogen:	AASS (Met477-Leu926)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against AASS. It has been selected for its ability to recognize AASS in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

Target Details

Target:	AASS
Abstract:	AASS Products
Background:	Alternative Names: LKR/SDH, LKRSDH, LORSDH, Saccharopine dehydrogenase, Alpha-

Target Details

Aminoadipic Semialdehyde Synthase,Mitochondrial, Lysine ketoglutarate reductase

Pathways: [SARS-CoV-2 Protein Interactome](#)

Application Details

Application Notes:

- Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.

Comment: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Restrictions: For Research Use only


Handling

Format: Liquid

Concentration: Lot specific


Buffer: PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

Images




Western Blotting

Image 1. Figure. Western Blot; Sample: Recombinant protein.



Immunohistochemistry

Image 2. DAB staining on IHC-P; Samples: Mouse Testis Tissue



Immunohistochemistry

Image 3. Used in DAB staining on formalin fixed paraffin-embedded Kidney tissue