# antibodies -online.com





# anti-Ancient Ubiquitous Protein 1 antibody (AA 201-410)





| Go to i roduct page |
|---------------------|
|                     |
|                     |


| Overview |
|----------|
|----------|

| Quantity:            | 100 μL   |
|----------------------|--|
| Target:              | Ancient Ubiquitous Protein 1 (Aup1)  |
| Binding Specificity: | AA 201-410   |
| Reactivity:          | Human  |
| Host:                | Rabbit   |
| Clonality:           | Polyclonal   |
| Conjugate:           | This Ancient Ubiquitous Protein 1 antibody is un-conjugated  |
| Application:         | Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)   |
| Product Details      |  |
| Immunogen:           | AUP1 (Val201-Asp410)   |
| Isotype:             | IgG  |
| Specificity:         | The antibody is a rabbit polyclonal antibody raised against AUP1. It has been selected for its ability to recognize AUP1 in immunohistochemical staining and western blotting. |
| Purification:        | Antigen-specific affinity chromatography   |
| Target Details       |  |
| Target:              | Ancient Ubiquitous Protein 1 (Aup1)  |
| Abstract:            | Aup1 Products  |

## **Application Details**


| Application Notes: | Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.                          |
|--------------------|--|
| Comment:           | The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37&degC for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition. |
| Restrictions:      | For Research Use only  |
| Handling           |  |
| Format:            | Liquid   |
| Concentration:     | Lot specific   |
| Buffer:            | PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.  |
| Images             |  |






## **Western Blotting**

**Image 1.** Western Blot; Sample: Human Serum; Primary Ab: 1μg/ml Rabbit Anti-Human AUP1 Antibody Second Ab: 0.2μg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)



#### **Western Blotting**

**Image 2.** Figure. Western Blot; Sample: Recombinant protein.



#### **Immunohistochemistry**

**Image 3.** DAB staining on IHC-P; Samples: Human Stomach Tissue

Please check the product details page for more images. Overall 4 images are available for ABIN5013124.