antibodies

# Datasheet for ABIN5013128 anti-ANGPTL5 antibody (AA 141-383)

3 Images



#### Overview

Quantity:	100 µL
Target:	ANGPTL5
Binding Specificity:	AA 141-383
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ANGPTL5 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

# Product Details

Immunogen:	ANGPTL5 (Arg141-Tyr383)
Isotype:	lgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against ANGPTL5. It has been selected for its ability to recognize ANGPTL5 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography


## Target Details

Target:	ANGPTL5
Alternative Name:	Angiopoietin Like Protein 5 (ANGPTL5) (ANGPTL5 Products)
Background:	Alternative Names: Angiopoietin-related protein 5

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN5013128 | 09/10/2023 | Copyright antibodies-online. All rights reserved.


Application Details	
Application Notes:	<ul> <li>Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.</li> </ul>
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37&degC for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

#### Images



	nant	Recombin	Sample:	Blot;	Western	Figure.	1.	Image
protein.								protein.

## Images



#### Immunohistochemistry

Image 2. DAB staining on IHC-P; Samples: Human Kidney

Tissue

## Immunohistochemistry

**Image 3.** Used in DAB staining on fromalin fixed paraffinembedded Kidney tissue

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN5013128 | 09/10/2023 | Copyright antibodies-online. All rights reserved.