

Datasheet for ABIN5013148

anti-Apolipoprotein C-II antibody (AA 32-100)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	Apolipoprotein C-II (APOC2)
Binding Specificity:	AA 32-100
Reactivity:	Guinea Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Apolipoprotein C-II antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

Product Details

Immunogen:	APOC2 (Asp32-Gln100)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against APOC2. It has been selected for its ability to recognize APOC2 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

Target Details

Target:	Apolipoprotein C-II (APOC2)
Alternative Name:	Apolipoprotein C2 (APOC2) (APOC2 Products)
Background:	Alternative Names: APC2, Apo-C2, ProapoC-II, Apolipoprotein C-II, Proapolipoprotein C-II

Target Details

Pathways: [Lipid Metabolism](#)


Application Details

Application Notes:	<ul style="list-style-type: none">Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

Images



Western Blotting

Image 1. Figure. Western Blot; Sample: Recombinant protein.