
# antibodies -online.com









Go to Product page

$\sim$							
	1//	$\Box$	$r \setminus$	/ [	$\bigcirc$	1	٨,

Overview		
Quantity:	100 μL	
Target:	Arx (ARX)	
Binding Specificity:	AA 25-246	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Arx antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)	
Product Details		
Product Details  Immunogen:	ARX (Ser25-Asp246)	
	ARX (Ser25-Asp246)	
Immunogen:		
Immunogen: Isotype:	IgG  The antibody is a rabbit polyclonal antibody raised against ARX. It has been selected for its	
Immunogen: Isotype: Specificity:	IgG  The antibody is a rabbit polyclonal antibody raised against ARX. It has been selected for its ability to recognize ARX in immunohistochemical staining and western blotting.	
Immunogen: Isotype: Specificity: Purification:	IgG  The antibody is a rabbit polyclonal antibody raised against ARX. It has been selected for its ability to recognize ARX in immunohistochemical staining and western blotting.	
Immunogen: Isotype: Specificity: Purification: Target Details	IgG  The antibody is a rabbit polyclonal antibody raised against ARX. It has been selected for its ability to recognize ARX in immunohistochemical staining and western blotting.  Antigen-specific affinity chromatography	

MRXS1, PRTS, Mental Retardation, X-linked 54

## **Application Details**

#### Application Notes:

Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500
 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.

#### Comment:

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37&degC for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.


Restrictions:

For Research Use only

# Handling


Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

#### **Images**



### **Western Blotting**

**Image 1.** Figure. Western Blot; Sample: Recombinant protein.



## **Immunohistochemistry**

**Image 2.** Used in DAB staining on fromalin fixed paraffinembedded Kidney tissue