antibodies - online.com







anti-BIRC2 antibody (AA 344-593)



Images



()	1 /	\sim	KI /	110	Νę
	1//	\vdash	I \/	1 ←	٠// ٢

Quantity:	100 μL	
Target:	BIRC2	
Binding Specificity:	AA 344-593	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This BIRC2 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)	

Product Details


Immunogen:	BIRC2 (Phe344-Gln593)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against BIRC2. It has been selected for its ability to recognize BIRC2 in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography	

Target Details

Target:	BIRC2	
Alternative Name:	Baculoviral IAP Repeat Containing Protein 2 (BIRC2) (BIRC2 Products)	
Background: Alternative Names: API1, HIAP2, Hiap-2, MIHB, RNF48, cIAP1, Inhibitor of apoptosis pr		


	NFR2-TRAF Signalling Complex Protein, Apoptosis Inhibitor 1
Pathways:	Apoptosis, Caspase Cascade in Apoptosis, Activation of Innate immune Response, Toll-Like
	Receptors Cascades
Application Details	
Application Notes:	Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

Images




Western Blotting

Image 1. Figure. Western Blot; Sample: Recombinant protein.



Immunohistochemistry

Image 2. DAB staining on IHC-P; Samples: Human Liver Tissue



Immunohistochemistry

Image 3. Used in DAB staining on fromalin fixed paraffinembedded Kidney tissue