antibodies - online.com







anti-CAMLG antibody (AA 1-188)





Go to	D		
	Pron	ויאווו	mane

()	11	\sim	rv		۱ ۸
	1 \ /	┙	I \/	╙	1/1

Quantity:	100 μL
Target:	CAMLG
Binding Specificity:	AA 1-188
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CAMLG antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

Product Details


Immunogen:	CAMLG (Met1-Arg188)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against CAMLG. It has been selected for its ability to recognize CAMLG in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

Target Details

Target:	CAMLG
Abstract:	CAMLG Products
Background:	Alternative Names: CAML, Calcium Signal-Modulating Cyclophilin Ligand, Calcium-Signal


- arget Details	
	Modulating Cyclophilin Ligand, Cyclophilin B-Binding Protein
Pathways:	EGFR Signaling Pathway
Application Details	
Application Notes:	 Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

Images




Western Blotting

Image 1. Figure. Western Blot; Sample: Recombinant protein.



Immunohistochemistry

Image 2. DAB staining on IHC-P; Samples: Rat Cerebrum Tissue



Immunohistochemistry

Image 3. Used in DAB staining on fromalin fixed paraffinembedded kidney tissue

Please check the product details page for more images. Overall 4 images are available for ABIN5013277.