# antibodies - online.com







# anti-CHN2 antibody (AA 1-264)





( )	1/0	r\ /1	014	
( )	ve	I V I	-v	V

Quantity:	100 μL
Target:	CHN2
Binding Specificity:	AA 1-264
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CHN2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

# **Product Details**

Immunogen:	CHN2 (Met1-Cys264)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against CHN2. It has been selected for its ability to recognize CHN2 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

# **Target Details**

Target:	CHN2
Alternative Name:	Chimerin 2 (CHN2) (CHN2 Products)
Background:	Alternative Names: ARHGAP3, BCH, RHoGAP3, Chimaerin, Beta-Chimaerin, Beta-chimerin, Rho

#### GTPase-activating protein 3

# **Application Details**

#### Application Notes:

Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500
 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.

#### Comment:

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37&degC for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Restrictions:

For Research Use only


### Handling

Format:	Liquid
Concentration:	Lot specific

Buffer:


PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

#### **Images**



## **Western Blotting**

**Image 1.** Figure. Western Blot; Sample: Recombinant protein.



# **Immunohistochemistry**

**Image 2.** Used in DAB staining on fromalin fixed paraffinembedded liver tissue