antibodies -online.com







anti-CNTN2 antibody (AA 802-1008)





Go to I	Proc	luct	page
---------	------	------	------

\sim	
()\/△	rview
\cup	1 410 44

Quantity:	100 μL
Target:	CNTN2
Binding Specificity:	AA 802-1008
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CNTN2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

Product Details


Immunogen:	CNTN2 (Ser802-Thr1008)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against CNTN2. It has been selected for its ability to recognize CNTN2 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

Target Details

Target:	CNTN2
Alternative Name:	Contactin 2 (CNTN2) (CNTN2 Products)
Background:	Alternative Names: AXT, TAG-1, TAX, TAX1, Axonin-1, Axonal glycoprotein TAG-1, Transient


	axonal glycoprotein 1
Pathways:	Regulation of G-Protein Coupled Receptor Protein Signaling, Regulation of Cell Size
Application Details	
Application Notes:	 Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

Images




Western Blotting

Image 1. Figure. Western Blot; Sample: Recombinant protein.



Immunohistochemistry

Image 2. Used in DAB staining on fromalin fixed paraffinembedded Kidney tissue



Western Blotting

Image 3. Western Blot; Sample: Mouse Testis lysate; Primary Ab: 5μg/ml Rabbit Anti-Human CASP10 Antibody Second Ab: 0.2μg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)

Please check the product details page for more images. Overall 4 images are available for ABIN5013392.