# antibodies -online.com







# anti-Contactin 6 antibody (AA 658-907)





( )	1/0	r\ /1	014	
( )	ve	I V I	-v	V

Quantity: 100 µL  Target: Contactin 6 (CNTN6)  Binding Specificity: AA 658-907  Reactivity: Mouse  Host: Rabbit  Clonality: Polyclonal  Conjugate: This Contactin 6 antibody is un-conjugated  Application: Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)	Overview	
Binding Specificity: AA 658-907  Reactivity: Mouse  Host: Rabbit  Clonality: Polyclonal  Conjugate: This Contactin 6 antibody is un-conjugated  Application: Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)	Quantity:	100 μL
Reactivity: Mouse  Host: Rabbit  Clonality: Polyclonal  Conjugate: This Contactin 6 antibody is un-conjugated  Application: Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)	Target:	Contactin 6 (CNTN6)
Host: Rabbit  Clonality: Polyclonal  Conjugate: This Contactin 6 antibody is un-conjugated  Application: Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)	Binding Specificity:	AA 658-907
Clonality: Polyclonal  Conjugate: This Contactin 6 antibody is un-conjugated  Application: Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)	Reactivity:	Mouse
Conjugate: This Contactin 6 antibody is un-conjugated  Application: Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)	Host:	Rabbit
Application: Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)	Clonality:	Polyclonal
	Conjugate:	This Contactin 6 antibody is un-conjugated
Product Details	Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)
1 Todade Botano	Product Details	


Immunogen:	CNTN6 (Tyr658-Pro907)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against CNTN6. It has been selected for its ability to recognize CNTN6 in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography	

## **Target Details**

Target:	Contactin 6 (CNTN6)
Abstract:	CNTN6 Products
Background:	Alternative Names: NB-3. Neural Adhesion Molecule


### **Application Details**

Application Notes:	<ul> <li>Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500         Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.     </li> </ul>
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37&degC for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
lmages	




### **Western Blotting**

Image 1. Western Blot; Sample: Mouse Cerebrum lysate; Primary Ab: 3μg/ml Rabbit Anti-Mouse CNTN6 Antibody Second Ab: 0.2μg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)



#### **Western Blotting**

**Image 2.** Figure. Western Blot; Sample: Recombinant protein.



#### **Immunohistochemistry**

**Image 3.** Used in DAB staining on fromalin fixed paraffinembedded Kidney tissue