

Datasheet for ABIN5013411 anti-CDK18 antibody (AA 121-402)

3 Images



Go to Product page

\sim			
	ve	r\/	٨
\cup	V C	1 V I	٧V

Quantity:	100 μL	
Target:	CDK18	
Binding Specificity:	AA 121-402	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CDK18 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)	
Product Details		
Immunogen:	CDK18 (Tyr121-Phe402)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against CDK18. It has been selected for its ability to recognize CDK18 in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography	
Target Details		
Target:	CDK18	
Alternative Name:	Cyclin Dependent Kinase 18 (CDK18) (CDK18 Products)	
Background:	Alternative Names: PCTK3, PCTAIRE, PCTAIRE3, Serine/Threonine-Protein Kinase PCTAIRE-3,	

Cell division protein kinase 18, PCTAIRE-motif protein kinase 3

Application Details

Application Notes:

Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500
 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.

Comment:

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.


Restrictions:

For Research Use only

Handling


Format:	Liquid	
Concentration:	Lot specific	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	

Images




Western Blotting

Image 1. Figure. Western Blot; Sample: Recombinant protein.



Immunohistochemistry

Image 2. DAB staining on IHC-P; Samples: Mouse Cerebrum Tissue



Immunohistochemistry

Image 3. Used in DAB staining on fromalin fixed paraffinembedded kidney tissue