



[Go to Product page](#)

Datasheet for ABIN5013444

anti-Deltex Homolog 1 antibody (AA 290-535)

2 Images

Overview

Quantity:	100 µL
Target:	Deltex Homolog 1 (DTX1)
Binding Specificity:	AA 290-535
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Deltex Homolog 1 antibody is un-conjugated
Application:	Immunohistochemistry (IHC), Western Blotting (WB), Immunocytochemistry (ICC)

Product Details

Immunogen:	DTX1 (Gly290-His535)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against DTX1. It has been selected for its ability to recognize DTX1 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

Target Details

Target:	Deltex Homolog 1 (DTX1)
Alternative Name:	Deltex Homolog 1 (DTX1) (DTX1 Products)
Background:	Alternative Names: hDx-1, E3 ubiquitin-protein ligase DTX1

Target Details

Pathways: [Notch Signaling](#)


Application Details

Application Notes:	<ul style="list-style-type: none">Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

Handling


Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

Images



Immunohistochemistry

Image 1. Used in DAB staining on formalin fixed paraffin-embedded Kidney tissue



Western Blotting

Image 2. Figure. Western Blot; Sample: Recombinant protein.