antibodies - online.com







anti-DKC1 antibody (AA 298-509)

Images



\sim					
	1//	⊃r	V/I	Φ\	Λ

- OVERVIEW		
Quantity:	100 μL	
Target:	DKC1	
Binding Specificity:	AA 298-509	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This DKC1 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)	
Product Details		
Immunogen:	DKC (Arg298-Glu509)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against DKC. It has been selected for its ability to recognize DKC in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography	
Target Details		
Target:	DKC1	
Alternative Name:	Dyskerin (DKC) (DKC1 Products)	
Background:	Alternative Names: DKC1, NAP57, NOLA4, NAP57, Dyskeratosis Congenita 1, H/ACA	

Target Details

	Ribonucleoprotein Complex Subunit 4, Nopp140-associated protein of 57 kDa, Nucleolar protein family A member 4
Pathways:	Telomere Maintenance
Application Details	
Application Notes:	 Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious

Restrictions:

For Research Use only

date under appropriate storage condition.

Handling

Format:	Liquid
Concentration:	Lot specific

PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

Images


Buffer:



Western Blotting


degradation and precipitation were observed. The loss rate is less than 5% within the expiration

Image 1. Western Blot; Sample: Mouse Testis lysate; Primary Ab: $1\mu g/ml$ Rabbit Anti-Mouse DKC Antibody Second Ab: $0.2\mu g/mL$ HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)



Western Blotting

Image 2. Figure. Western Blot; Sample: Recombinant protein.



Immunohistochemistry

Image 3. Used in DAB staining on fromalin fixed paraffinembedded liver tissue