# antibodies -online.com







# anti-FAM3D antibody (AA 26-224)





_					
U	V	er	VI	е	W

Quantity:	100 μL	
Target:	FAM3D	
Binding Specificity:	AA 26-224	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This FAM3D antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)	

#### **Product Details**

Immunogen:	FAM3D (Tyr26-Phe224)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against FAM3D. It has been selected for its ability to recognize FAM3D in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography	


# **Target Details**

Target:	FAM3D
Abstract:	FAM3D Products
Background:	Alternative Names: EF7, OIT1

# **Application Details**


Application Notes:	Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37&degC for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

#### **Images**




## **Western Blotting**

**Image 1.** Figure. Western Blot; Sample: Recombinant protein.



### **Immunohistochemistry**

Image 2. DAB staining on IHC-P; Samples: Human Stomach Tissue



#### **Immunohistochemistry**

**Image 3.** Used in DAB staining on fromalin fixed paraffinembedded rectum tissue