
# antibodies - online.com







# anti-FASTK antibody (AA 330-524)

**Images** 



$\sim$						
	1//	Д	r۱	1	<b>Θ</b> 1	٨

Quantity:	100 μL	
Target:	FASTK	
Binding Specificity:	AA 330-524	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This FASTK antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)	

#### **Product Details**

Immunogen:	FASTK (Phe330-Arg524)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against FASTK. It has been selected for its ability to recognize FASTK in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography


### **Target Details**

Target:	FASTK
Alternative Name:	Fas Activated Serine/Threonine Kinase (FASTK) (FASTK Products)
Background:	Alternative Names: FAST, STK10

## **Application Details**


Application Notes:	Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37&degC for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.





### **Western Blotting**

**Image 1.** Figure. Western Blot; Sample: Recombinant protein.



#### **Immunohistochemistry**

**Image 2.** Used in DAB staining on fromalin fixed paraffinembedded kidney tissue