antibodies - online.com







anti-FMO2 antibody (AA 116-324)

Images



\sim	
()\/\	rview
\circ	

Quantity:	100 μL
Target:	FMO2
Binding Specificity:	AA 116-324
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FMO2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

Product Details

Immunogen:	FMO2 (Arg116-Val324)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against FMO2. It has been selected for its ability to recognize FMO2 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

Target Details

Target:	FMO2
Alternative Name:	Flavin Containing Monooxygenase 2, Non Functional (FMO2) (FMO2 Products)
Background:	Alternative Names: FM01B1, Dimethylaniline oxidase 2, Pulmonary flavin-containing

monooxygenase 2, Dimethylaniline monooxygenase [N-oxide-forming] 2

Application Details

Application Notes:

Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500
 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.

Comment:

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.


Restrictions:

For Research Use only

Handling


Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

Images



Western Blotting

Image 1. Figure. Western Blot; Sample: Recombinant protein.



Immunohistochemistry

Image 2. Used in DAB staining on fromalin fixed paraffinembedded kidney tissue