antibodies.com

Datasheet for ABIN5013598 anti-Geminin antibody (AA 8-206)

2 Images



Overview

Quantity:	100 µL
Target:	Geminin (GMNN)
Binding Specificity:	AA 8-206
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Geminin antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

Product Details

Immunogen:	GMNN (Lys8-Thr206)
lsotype:	lgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against GMNN. It has been selected for its ability to recognize GMNN in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography
Target Details	
Target:	Geminin (GMNN)
Alternative Name:	Geminin (GMNN) (GMNN Products)

Background: Alternative Names: Gem, Geminin, DNA Replication Inhibitor


Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN5013598 | 09/10/2023 | Copyright antibodies-online. All rights reserved.

Target Details	
Pathways:	EGFR Signaling Pathway, DNA Replication
Application Details	
Application Notes:	• Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

Images

Western Blot kDa		Western Blotting							
70			Image 1	.	Figure.	Western	Blot;	Sample:	Recombinant
44			protein.		0			·	
33	-	←35kDa	protein.						
26 22									
18									
14									
10									

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN5013598 | 09/10/2023 | Copyright antibodies-online. All rights reserved.



Immunohistochemistry

Image 2. Used in DAB staining on fromalin fixed paraffin-

embedded Kidney tissue

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN5013598 | 09/10/2023 | Copyright antibodies-online. All rights reserved.