antibodies -online.com










Go to Product page

Overview	
Quantity:	100 μL
Target:	HIPK1
Binding Specificity:	AA 1-290
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HIPK1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)
Product Details	
Immunogen:	HIPK1 (Met1-Lys290)
Isotype:	IgG
Isotype: Specificity:	IgG The antibody is a rabbit polyclonal antibody raised against HIPK1. It has been selected for its ability to recognize HIPK1 in immunohistochemical staining and western blotting.
	The antibody is a rabbit polyclonal antibody raised against HIPK1. It has been selected for its
Specificity:	The antibody is a rabbit polyclonal antibody raised against HIPK1. It has been selected for its ability to recognize HIPK1 in immunohistochemical staining and western blotting.
Specificity: Purification:	The antibody is a rabbit polyclonal antibody raised against HIPK1. It has been selected for its ability to recognize HIPK1 in immunohistochemical staining and western blotting.
Specificity: Purification: Target Details	The antibody is a rabbit polyclonal antibody raised against HIPK1. It has been selected for its ability to recognize HIPK1 in immunohistochemical staining and western blotting. Antigen-specific affinity chromatography

Application Details


Application Notes:	Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

Validation report #103013 for Western Blotting (WB)



Western Blotting

Image 1. Figure. Western Blot; Sample: Recombinant protein.



Immunohistochemistry

Image 2. Used in DAB staining on fromalin fixed paraffinembedded heart tissue