antibodies - online.com







anti-HCFC1 antibody (AA 107-332)

Images




\sim							
	1//	\Box	$r \setminus$	/ [\bigcirc	1	٨,

Overview		
Quantity:	100 μL	
Target:	HCFC1	
Binding Specificity:	AA 107-332	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This HCFC1 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)	
Product Details		
Immunogen:	HCFC1 (Ser107-Thr332)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against HCFC1. It has been selected for its ability to recognize HCFC1 in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography	
Target Details		
Target:	HCFC1	
Alternative Name:	Host Cell Factor C1 (HCFC1) (HCFC1 Products)	
Background:	Alternative Names: HCF-C1, CFF, HCF1, HCF1, HFC1, VCAF, VP16-Accessory Protein	

Application Details


Application Notes:	 Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

Images



Western Blotting

Image 1. Figure. Western Blot; Sample: Recombinant protein.



Immunohistochemistry

Image 2. Used in DAB staining on fromalin fixed paraffinembedded liver tissue