# antibodies -online.com





Datasheet for ABIN5013738

## anti-NFKBIE antibody (AA 115-350)

3 Images



Go to Product page

$\sim$	
( )\/△	rview
$\cup$	1 410 44

Quantity:	100 μL
Target:	NFKBIE
Binding Specificity:	AA 115-350
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NFKBIE antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

### **Product Details**

Immunogen:	IkBe (Ala115-Phe350)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against IkBe. It has been selected for its ability to recognize IkBe in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

## **Target Details**


Target:	NFKBIE
Alternative Name:	Inhibitory Subunit Of NF Kappa B Epsilon (IkBe) (NFKBIE Products)
Background:	Alternative Names: NFKBIE, Nuclear Factor Of Kappa Light Polypeptide Gene Enhancer In B-

Buffer:

rarget Details	
	Cells Inhibitor,Epsilon
Pathways:	NF-kappaB Signaling, Maintenance of Protein Location
Application Details	
Application Notes:	Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37&degC for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific


PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

## Validation report #103013 for Western Blotting (WB)




### **Immunohistochemistry**

Image 1. DAB staining on IHC-P; Samples: Mouse Kidney Tissue



## **Immunohistochemistry**

**Image 2.** Used in DAB staining on fromalin fixed paraffinembedded rectum tissue



## **Western Blotting**

**Image 3.** Figure. Western Blot; Sample: Recombinant protein.