antibodies .- online.com







anti-ITPA antibody (AA 3-180)





Overview

Quantity:	100 μL
Target:	ITPA
Binding Specificity:	AA 3-180
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ITPA antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

Product Details

Immunogen:	ITPA (Ala3-Arg180)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against ITPA. It has been selected for its ability to recognize ITPA in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography

Tarnet Details

Target Details	
Target:	ITPA
Abstract:	ITPA Products
Background:	Alternative Names: ITPase, Nucleoside Triphosphate Pyrophosphatase, Inosine Triphosphate

Pyrophosphatase, Non-canonical purine NTP pyrophosphatase, Nucleoside-triphosphate diphosphatase

Application Details

Λnn	lication	Motoc.
ADD	lication	110162.

Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500
 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.

Comment:

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Restrictions:

For Research Use only


Handling

Format:	Liquid
Concentration:	Lot specific

Buffer:


PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

Images




Western Blotting

Image 1. Western Blot; Sample: Human Lung lysate; Primary Ab: 1μg/ml Rabbit Anti-Human ITPA Antibody Second Ab: 0.2μg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)



Western Blotting

Image 2. Figure. Western Blot; Sample: Recombinant protein.



Immunohistochemistry

Image 3. Used in DAB staining on fromalin fixed paraffinembedded brain tissue