antibodies - online.com







anti-LDOC1 antibody (AA 18-147)

Images



\sim				
	$ V \cap$	r\/I	19	٨

Quantity:	100 μL
Target:	LDOC1
Binding Specificity:	AA 18-147
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This LDOC1 antibody is un-conjugated
Application:	Immunohistochemistry (IHC), Western Blotting (WB), Immunocytochemistry (ICC)

Product Details

Immunogen:	LDOC1 (Ala18-Tyr147)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against LDOC1. It has been selected for its ability to recognize LDOC1 in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography	


Target Details

Target:	LDOC1
Alternative Name:	Leucine Zipper, Down Regulated In Cancer 1 (LDOC1) (LDOC1 Products)
Background: Alternative Names: BCUR1, Mar7, Mart7	

Application Details


Application Notes:	Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	Lot specific	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	

Validation report #103013 for Western Blotting (WB)



Western Blotting

Image 1. Figure. Western Blot; Sample: Recombinant protein.



Immunohistochemistry

Image 2. Used in DAB staining on fromalin fixed paraffinembedded Kidney tissue