# antibodies -online.com









Overview	
Quantity:	100 μL
Target:	Leupaxin (LPXN)
Binding Specificity:	AA 1-208
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Leupaxin antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)
Product Details	
Immunogen:	LPXN (Met1-Ser208)

Immunogen:	LPXN (Met1-Ser208)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against LPXN. It has been selected for its ability to recognize LPXN in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography


# Target Details

Target:	Leupaxin (LPXN)
Abstract:	LPXN Products
Background:	Alternative Names: LDPL, LDLP

## **Application Details**

**Images** 


Application Notes:	<ul> <li>Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500         Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.     </li> </ul>
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37&degC for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.



14 10

### **Western Blotting**

**Image 1.** Figure. Western Blot; Sample: Recombinant protein.



### **Immunohistochemistry**

**Image 2.** Used in DAB staining on fromalin fixed paraffinembedded Kidney tissue