

Datasheet for ABIN5013963 anti-MOG antibody (AA 29-153)

1 Image



Go to Product page

\sim				
	Ive	r\/		٨
\cup	' V C	ı vı	\Box	٧V

Quantity:	100 μL	
Target:	MOG	
Binding Specificity:	AA 29-153	
Reactivity:	Cow	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This MOG antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details

Purpose:	Polyclonal Antibody to Myelin Oligodendrocyte Glycoprotein (MOG)	
Immunogen:	RPA421Bo01Recombinant Myelin Oligodendrocyte Glycoprotein (MOG)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against MOG. It has been selected for its ability to recognize MOG in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse, Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details

Target:	MOG	
Alternative Name:	Myelin Oligodendrocyte Glycoprotein (MOG Products)	
Application Details		
Application Notes:	Western blotting: 0.2-2 μ g/mL,1:250-2500 Immunohistochemistry: 5-20 μ g/mL,1:25-100 Immunocytochemistry: 5-20 μ g/mL,1:25-100 Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	500 μg/mL	
Buffer:	PBS, pH 7.4, containing 0.01 % SKL, 1 mM DTT, 5 % Trehalose and Proclin300.	
Preservative:	Dithiothreitol (DTT), ProClin	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	

kDa 100-70-44-33-27-22-18-14-10-

Western Blotting

Image 1. Western Blot; Sample: Mouse Cerebrum lysate; ;Primary Ab: 3μg/ml Rabbit Anti-Bovine MOG Antibody;Second Ab: 0.2μg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody;(Catalog: SAA544Rb19)