# antibodies -online.com





## anti-NOV antibody (AA 156-351)





Go to Product page

$\sim$						
	1//	Д	r۱	/1	$\triangle$	٨

Overview	
Quantity:	100 μL
Target:	NOV
Binding Specificity:	AA 156-351
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NOV antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)
Product Details	
line need to be seen.	NOV/(Al-150 M-+051)

Immunogen:	NOV (Ala156-Met351)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against NOV. It has been selected for its ability to recognize NOV in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography


### **Target Details**

Target:	NOV
Alternative Name:	Nephroblastoma Overexpressed Gene (NOV) (NOV Products)
Background:	Alternative Names: CCN3, IGFBP9, NOVH, IBP-9, Insulin-like growth factor-binding protein 9,

#### **Target Details**


	Protein NOV homolog	
Pathways:	Smooth Muscle Cell Migration, Growth Factor Binding	
Application Details		
Application Notes:	<ul> <li>Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500         Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.     </li> </ul>	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37&degC for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	Lot specific	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Imagaa		

#### **Images**




#### **Western Blotting**

**Image 1.** Western Blot; Sample: Rat Serum; Primary Ab: 2μg/ml Rabbit Anti-Rat NOV Antibody Second Ab: 0.2μg/mL HRP-Linked Caprine Anti-Rabbit IgG Polyclonal Antibody (Catalog: SAA544Rb19)



#### **Western Blotting**

**Image 2.** Figure. Western Blot; Sample: Recombinant protein.



#### **Immunohistochemistry**

**Image 3.** Used in DAB staining on fromalin fixed paraffinembedded Kidney tissue