antibodies

# Datasheet for ABIN5014002 anti-Neurocan antibody (AA 960-1225)

2 Images



Overview

Quantity:	100 μL
Target:	Neurocan (NCAN)
Binding Specificity:	AA 960-1225
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Neurocan antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

## Product Details

Immunogen:	NCAN (Pro960-Lys1225)					
lsotype:	lgG					
Specificity:	The antibody is a rabbit polyclonal antibody raised against NCAN. It has been selected for its ability to recognize NCAN in immunohistochemical staining and western blotting.					
Purification:	Antigen-specific affinity chromatography					
Target Details						
Target:	Neurocan (NCAN)					
Abstract:	NCAN Products					

Background: Alternative Names: CSPG3, NEUR, Neurocan Core Protein, Chondroitin Sulfate Proteoglycan 3,

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN5014002 | 09/10/2023 | Copyright antibodies-online. All rights reserved.


## Target Details

	Neurocan Proteoglycan					
Pathways:	Glycosaminoglycan Metabolic Process					
Application Details						
Application Notes:	<ul> <li>Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-1:5000 Optimal working dilutions must be determined by end user.</li> </ul>					
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37&degC for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.					
Restrictions:	For Research Use only					
Handling						
Format:	Liquid					
Concentration:	Lot specific					
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.					

#### Images

kDa				Western Blotting						
70 44	_	← 38kDa		<b>Image</b> protein.	1.	Figure.	Western	Blot;	Sample:	Recombinant
33 26		JORDA		protein.						
22 18										
14										
10										

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN5014002 | 09/10/2023 | Copyright antibodies-online. All rights reserved.



#### Immunohistochemistry

**Image 2.** Used in DAB staining on fromalin fixed paraffinembedded Kidney tissue

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN5014002 | 09/10/2023 | Copyright antibodies-online. All rights reserved.